What to Expect When You go Home

INCISION

May be sore, numb, itchy, red or bruised looking

Look for signs of Infection

Chest incision may have raised area with drainage that is clear, pinkish or yellow orange

What to Expect When You go Home

SHOWER DAILY

Use antibacterial soap

Do not use powder or lotion around incision

Use warm water over strips of tape over incision

When to see your Doctor for Follow Up

See Surgical Doctor in 3 to 4 weeks

See Cardiologist in 4 weeks

Primary Care Doctor after both these visits

When to Call Your Doctor

Signs of infection Increase pain redness around incision Green or yellow color drainage Fever greater than 101 Signs the incision is pulling apart

When to Call Your Doctor

Other Problems

Heart beats (too fast, slow or skipping)

Weakness for 2 or 3 days

Fainting or dizziness

Chest discomfort with deep breathing or when you lie flat

Weight gain *(2 pounds in 24 hours)

If original symptoms (angina) comes back

Activities to Avoid

Pushing
Pulling
Sweeping
Shoveling
Don't lift anything greater than 2 5 pounds
Do not drive till Surgeon says OK
Back to work depends on the surgeon

Medications

Take only medications prescribed for you

Check with the Doctor before taking any new medications

If taking anticoagulants – call Doctor if any signs of bleeding